

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 1 of 18  
Print Date 03/13/2026

**SAFETY DATA SHEET****SILCOGUM BLACK 044****Section 1. Identification**

**GHS product identifier** : SILCOGUM BLACK 044  
**Chemical name** : Mixture  
**CAS number** : Mixture  
**Other means of identification** : FO00014262  
**Product type** : liquid

**Relevant identified uses of the substance or mixture and uses advised against**

**Product use** : Industrial applications. Plastics.

**Supplier's details** : **GSDI Specialty Dispersions, Inc.**  
1675 Navarre Road SW, Massillon,  
Ohio USA 44646

1 (440) 930-1000 or 1 (844) 4AVIENT

**Emergency telephone number (with hours of operation)** : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

**Section 2. Hazards identification**

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture** : TOXIC TO REPRODUCTION - Category 2

**GHS label elements**

**Hazard pictograms** :



**Signal word**  
**Hazard statements**

: Warning  
: Suspected of damaging fertility or the unborn child.

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 2 of 18  
Print Date 03/13/2026

**Precautionary statements**

- Prevention** : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection.
- Response** : IF exposed or concerned: Get medical advice or attention.
- Storage** : Store locked up.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Hazards not otherwise classified** : None known.
- Hazards identified when used** : No known significant effects or critical hazards.

**Section 3. Composition/information on ingredients**

- Substance/mixture** : Mixture
- Chemical name** : SILCOGUM BLACK 044
- Other means of identification** : SILCOGUM BLACK 044

Ingredient name	Synonyms	%	Identifiers
Iron oxide	triiron tetraoxide	>= 60 - <= 69	CAS: 1317-61-9
Iron oxide	diiron trioxide	>= 1 - <= 5	CAS: 1309-37-1
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	octamethylcyclotetrasiloxane	> 0 - < 1	CAS: 556-67-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

**Section 4. First aid measures****Description of necessary first aid measures**

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 3 of 18  
Print Date 03/13/2026

- for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Most important symptoms/effects, acute and delayed****Potential acute health effects**

- Eye contact** : No known significant effects or critical hazards.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

**Over-exposure signs/symptoms**

- Eye contact** : No specific data.  
**Inhalation** : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations  
**Skin contact** : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations  
**Ingestion** : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations

**Indication of immediate medical attention and special treatment needed, if necessary**

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  
**Specific treatments** : No specific treatment.

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 4 of 18  
Print Date 03/13/2026

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.  
**Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials: carbon dioxide, carbon monoxide, metal oxide/oxides

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 5 of 18  
Print Date 03/13/2026

**Methods and materials for containment and cleaning up**

- Small spill** : Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

**Section 7. Handling and storage****Precautions for safe handling**

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 6 of 18  
Print Date 03/13/2026

<b>Section 8. Exposure controls/personal protection</b>
---

Control parametersOccupational exposure limits

<b>Ingredient name</b>	<b>Exposure limits</b>
Iron oxide	<b>OSHA PEL (1993-06-30). [Iron oxide fume]</b> TWA 8 hours: 10 mg/m <sup>3</sup> Form: Fume
Iron oxide	<b>CAL OSHA PEL (2018-05-16). [iron oxide fume]</b> TWA 8 hours: 5 mg/m <sup>3</sup> <b>CAL OSHA PEL (2018-05-16). [rouge]</b> TWA 8 hours: 10 mg/m <sup>3</sup> Form: Total dust TWA 8 hours: 5 mg/m <sup>3</sup> Form: Respirable fraction <b>ACGIH TLV (2005-12-09). [Iron oxide] A4.</b> TWA 8 hours: 5 mg/m <sup>3</sup> Form: Respirable fraction <b>NIOSH REL (2010-09-01). [iron oxide dust and fume]</b> TWA 10 hours: 5 mg/m <sup>3</sup> (as Fe) Form: Dust and fumes <b>OSHA PEL 1989 (1989-03-01). [Iron oxide dust and fume (as Fe)]</b> STEL 15 minutes: 10 ppm (as Fe) Form: total particulates <b>OSHA PEL 1989 (1989-03-01). [Rouge]</b> TWA 8 hours: 5 mg/m <sup>3</sup> Form: Respirable fraction TWA 8 hours: 10 mg/m <sup>3</sup> Form: Total dust <b>OSHA PEL (1993-06-30). [Rouge]</b> TWA 8 hours: 15 mg/m <sup>3</sup> Form: Total dust TWA 8 hours: 5 mg/m <sup>3</sup> Form: Respirable fraction <b>OSHA PEL (1993-06-30). [Iron oxide fume]</b> TWA 8 hours: 10 mg/m <sup>3</sup> Form: Fume
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	<b>OARS WEEL (2018-05-07). [octamethylcyclotetrasiloxane]</b> TWA 8 hours: 10 ppm

Biological exposure indices

No exposure indices known.

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 7 of 18  
Print Date 03/13/2026

checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures**

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

<b>Section 9. Physical and chemical properties</b>
--

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 8 of 18  
Print Date 03/13/2026

**Appearance**

<b>Physical state</b>	:	liquid [Viscous liquid.]
<b>Color</b>	:	BLACK
<b>Odor</b>	:	Not available.
<b>Odor threshold</b>	:	Not available.
<b>pH</b>	:	Not available.
<b>Melting point/freezing point</b>	:	Not available.
<b>Boiling point or initial boiling point and boiling range</b>	:	Not available.
<b>Flash point</b>	:	Not available.
<b>Evaporation rate</b>	:	Not available.
<b>Flammability</b>	:	Not available.
<b>Lower and upper explosion limit/flammability limit</b>	:	<b>Lower:</b> Not available. <b>Upper:</b> Not available.
<b>Vapor pressure</b>	:	Not available.
<b>Relative vapor density</b>	:	Not available.
<b>Relative density</b>	:	Not available.
<b>Solubility in water</b>	:	Not available.
<b>Partition coefficient: n-octanol/water</b>	:	Not applicable.
<b>Auto-ignition temperature</b>	:	Not available.
<b>Decomposition temperature</b>	:	Not available.
<b>Viscosity</b>	:	<b>Dynamic</b> : Not available. <b>Kinematic</b> : Not available.

**Particle characteristics**

<b>Median particle size</b>	:	Not applicable.
-----------------------------	---	-----------------

<b>Section 10. Stability and reactivity</b>
---

<b>Reactivity</b>	:	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	:	Stable under recommended storage and handling conditions (see Section 7).

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 9 of 18  
Print Date 03/13/2026

- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Keep away from extreme heat and oxidizing agents.
- Incompatible materials** : Keep away from strong acids. Oxidizer.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

<b>Section 11. Toxicological information</b>
--

**Information on toxicological effects****Acute toxicity**

Product/ingredient name	Result
Iron oxide	<b>Rat - Oral - LD50</b> 5,000 mg/kg
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	<b>Rat - Oral - LD50</b> 1,540 mg/kg <b>Rat - Dermal - LD50</b> 1,770 mg/kg  <b>Rat - Inhalation - LC50 Vapor</b> 36 Mg/l [4 h]

**Conclusion/Summary** : Mixture. Not fully tested.

**Skin corrosion/irritation**

Product/ingredient name	Result
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	<b>Rabbit - Skin - Mild irritant</b> <u>Duration of treatment/exposure:</u> 24 hrs

**Conclusion/Summary** : Mixture. Not fully tested.

**Serious eye damage/eye irritation**

**SAFETY DATA SHEET**

**SILCOGUM BLACK 044**

Version Number 1.10  
 Revision Date 03/12/2026

Page 10 of 18  
 Print Date 03/13/2026

Product/ingredient name	Result
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	<b>Rabbit - Eyes - Mild irritant</b> Duration of treatment/exposure: 24 hrs

**Conclusion/Summary** : Mixture.Not fully tested.

**Respiratory corrosion/irritation**

**Conclusion/Summary** : Mixture.Not fully tested.

**Respiratory or skin sensitization**

**Skin**

**Conclusion/Summary** : Mixture.Not fully tested.

**Respiratory**

**Conclusion/Summary** : Mixture.Not fully tested.

**Germ cell mutagenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Carcinogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Classification**

Product/ingredient name	OSHA	IARC	NTP
Iron oxide	-	3	-

**Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Specific target organ toxicity (single exposure)**

**SAFETY DATA SHEET**

**SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 11 of 18  
Print Date 03/13/2026

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

**Information on the likely routes of exposure**

Not available.

**Potential acute health effects**

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Eye contact** : No specific data.
- Inhalation** : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations
- Skin contact** : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations
- Ingestion** : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Short term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Long term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Potential chronic health effects**

Not available.

**Conclusion/Summary** : Mixture. Not fully tested.

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 12 of 18  
Print Date 03/13/2026

**General** : No known significant effects or critical hazards.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Reproductive toxicity** : Suspected of damaging fertility or the unborn child.

**Numerical measures of toxicity****Acute toxicity estimates**

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
SILCOGUM BLACK 044	5124 mg/kg	N/A	N/A	N/A	N/A
Iron oxide	5000 mg/kg	N/A	N/A	N/A	N/A
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	1540 mg/kg	1770 mg/kg	N/A	36 Mg/l	N/A

**Section 12. Ecological information****Toxicity**

Product/ingredient name	Result
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	<b>Acute LC50 Fresh water</b> Fish - <i>Leuciscus idus ssp. melanotus</i> 0.204 - 3.483 Mg/l [96 h] <b>Chronic NOEC Fresh water</b> Fish - <i>Oncorhynchus mykiss</i> 0.0000044 mg/l [93 d] <b>Chronic NOEC Fresh water</b> Daphnia - <i>Daphnia magna</i> 0.0079 Mg/l [21 d]

**Conclusion/Summary** : Not available.

**Persistence and degradability**

Not available.

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 13 of 18  
Print Date 03/13/2026

**Conclusion/Summary** : Not available.

**Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	6.488	13,400.00 [EPA OTS 797.1520]	High

**Mobility in soil**

**Soil/Water partition coefficient** : Not available.

**Other adverse effects**

No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

IATA : Not classified as dangerous for transport purposes.

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 14 of 18  
Print Date 03/13/2026

IMDG : Not classified as dangerous for transport purposes.

<b>Section 15. Regulatory information</b>
---

**U.S. Federal regulations**

**TSCA 8(a) CDR Exempt/Partial exemption:** Not determined

**TSCA 8(a) - Preliminary assessment report (PAIR):** Decamethylcyclopentasiloxane;  
Dodecamethylcyclohexasiloxane; Octamethylcyclotetrasiloxane;

**TSCA 12(b) - Chemical export notification**

**Clean Air Act Section 112(b)** : Not listed

**Hazardous Air Pollutants (HAPs)**

**Clean Air Act Section 602 Class I** : Not listed

**Substances**

**Clean Air Act Section 602 Class** : Not listed

**II Substances**

**DEA List I Chemicals (Precursor** : Not listed

**Chemicals)**

**DEA List II Chemicals (Essential** : Not listed

**Chemicals)****SARA 302/304****Composition/information on ingredients**

No products were found.

**SARA 304 RQ** : Not applicable.

**SARA 311/312**

**Classification** : TOXIC TO REPRODUCTION - Category 2

**Composition/information on ingredients**

Name	%	Classification
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	> 0 - < 1	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - oral - Category 4 ACUTE TOXICITY - dermal - Category 4

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 15 of 18  
Print Date 03/13/2026

		EYE IRRITATION - Category 2B TOXIC TO REPRODUCTION - Category 2
--	--	--

**State regulations**

- Massachusetts** : The following components are listed:  
Iron oxide
- New York** : None of the components are listed.
- New Jersey** : The following components are listed:  
IRON OXIDE
- Pennsylvania** : The following components are listed:  
IRON OXIDE

**California Prop. 65**

This product does not require a Safe Harbor warning under California Prop. 65.

**International regulations****Chemical Weapon Convention List Schedules I, II & III Chemicals****Chemical Weapons Convention List Schedule I Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule II Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule III Chemicals**

None of the components are listed.

**Montreal Protocol**

None of the components are listed.

**Stockholm Convention on Persistent Organic Pollutants****Annex A - Elimination - Production**

None of the components are listed.

**Annex A - Elimination - Use**

None of the components are listed.

**SAFETY DATA SHEET**

**SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 16 of 18  
Print Date 03/13/2026

**Annex B - Restriction - Production**

None of the components are listed.

**Annex B - Restriction - Use**

None of the components are listed.

**Annex C - Unintentional - Production**

None of the components are listed.

**Rotterdam Convention on Prior Informed Consent (PIC)**

**Rotterdam Convention on Prior Informed Consent (PIC) - Industrial**

None of the components are listed.

**Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide**

None of the components are listed.

**Rotterdam Convention on Prior Informed Consent (PIC) -Severely hazardous pesticide**

None of the components are listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals**

**Heavy metals - Annex 1**

None of the components are listed.

**POPs - Annex 1 - Production**

None of the components are listed.

**POPs - Annex 1 - Use**

None of the components are listed.

**POPs - Annex 2**

None of the components are listed.

**POPs - Annex 3**

None of the components are listed.

**Inventory list**

<b>Australia</b>	:	All components are listed or exempted.
<b>Canada</b>	:	All components are listed or exempted.
<b>China</b>	:	All components are listed or exempted.
<b>Eurasian Economic Union</b>	:	<b>Russian Federation inventory:</b> All components are listed or exempted.
<b>Japan</b>	:	<b>Japan inventory (CSCL):</b> All components are listed or exempted.

**SAFETY DATA SHEET**

**SILCOGUM BLACK 044**

Version Number 1.10  
Revision Date 03/12/2026

Page 17 of 18  
Print Date 03/13/2026

- Japan inventory (ISHL):** Not determined.
- New Zealand** : All components are listed or exempted.
- Philippines** : All components are listed or exempted.
- Republic of Korea** : All components are listed or exempted.
- Taiwan** : All components are listed or exempted. All components are listed or exempted.
- Thailand** : All components are listed or exempted.
- Turkey** : Not determined.
- United States** : All components are active or exempted.
- Viet Nam** : All components are listed or exempted.

**Section 16. Other information**


Hazardous Material Information System (U.S.A.)

Health	*	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Classification	Justification
TOXIC TO REPRODUCTION - Category 2	Calculation method

**SAFETY DATA SHEET****SILCOGUM BLACK 044**

Version Number 1.10  
 Revision Date 03/12/2026

Page 18 of 18  
 Print Date 03/13/2026

**History**

**Date of printing** : 03/13/2026  
**Date of issue/Date of revision** : 03/12/2026  
**Date of previous issue** : 02/06/2024  
**Version** : 1.10  
**Prepared by** : EHS\_BATCH  
**Key to abbreviations** : ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 DOT = Department of Transportation  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 IMO = International Maritime Organization  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 N/A = Not available  
 SGG = Segregation Group  
 TDG = Transportation of Dangerous Goods  
 UN = United Nations  
**References** : Not available.

**Notice to reader**

**To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.**